

RZR Pro R Troy Lee Designs Edition

Electric Blue



Key Specifications

225	75.8"	16"
HP	WIDTH	CLEARANCE

ENGINE & DRIVETRAIN

Cooling	Liquid
Cylinders Displacement	1997cc
Drive System Type	Pro Performance True 2WD/4WD/4WD Lock
Engine Braking System (EBS)	Not Equipped
Engine Type	4-Stroke DOHC Inline Four Cylinder
Fuel System/Battery	Electronic Fuel Injection
Horsepower	225 HP
Transmission/Final Drive	Automatic PVT P/R/N/L/H

DIMENSIONS

Bed Box Dimensions (L x W x H)	29.5 x 23.8 x 8.1 in (75 x 60.5 x 20.6 cm)
Box Capacity	300 lb (136 kg)
Estimated Dry Weight	2270 lb
Fuel Capacity	12 gal (45.4 L)
Ground Clearance	16 in (40.6 cm)
Hitch Towing Rating	N/A
Overall Vehicle Size (L x W x H)	136.5 x 75.8 x 72.8" (347 x 188 x 185 cm)
Payload Capacity	740 lb (336 kg)
Wheelbase	104.5 in (265.4cm)

BRAKES

Front/Rear Brakes	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor
Parking Brake	Park In-Transmission

ADDITIONAL SPECIFICATIONS

Cargo System	Lock & Ride® Factory Equipped Cargo Liner
Doors	Full Door
Electronic Power Steering	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; DYNAMIX DV with Integrated EPS Modes and Ride Command Push Button Controls
Hitch Type	Not Equipped
Instrumentation	RIDE COMMAND™ 7" Glove-Touch Display: Built-In GPS, Mapping, Vehicle-to-Vehicle with *Group Ride, Follow the Leader, & Messaging. Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate® Stage 4 H.O. Audio System featuring a 400W 10" Subwoofer, 4x 100W HO Speakers, Dual-sweep Analog Dials w/ 4 in LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals. Digital Instrumentation: Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator
Lighting	Signature White LED, Rigid 32" Combo LED light bar, Low/High & Red LED Tail / Brake Lights; Front, Rear, Speaker Lighting, and Interior Accent Lighting
Other Standard Features	Troy Lee Design Paint & Graphics Package, Limited Edition Numbered Badge, RIDE COMMAND®, Rear Camera, High Output External 1700W Alternator, Polaris Pulse System, In-Dash Charge Port, 2 front DC Accy ports, Polaris P.A.S.S., Driver & Passenger Door Bags, Painted Aluminum Roof, Painted Front & Rear Bumpers, Painted Rock Sliders, Colored Matched Toe Link, Hood Scoop, Mud and Rock Guards, User Selectable Throttle Modes (Sport, Rock, & Race)
RIDE COMMAND+	Factory-Installed
Seat Type	Color-Matched Bolstered Bucket Seats with Driver 4-way adjustability (including 6" front to back toolless seat slider with tilt adjustability) & Passenger tilt adjustability; Retractable Click-6 Harnesses

TIRES / WHEELS

Front Tires	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
Rear Tires	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
Wheels	Cast Aluminum Beadlock

SUSPENSION

Electronic Suspension Control System	Dynamix DV with Selectable Ride Modes: Comfort, Rock, Track, Baja
--------------------------------------	---

Front Shocks	FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression and Rebound)
Front Suspension	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 27.0" (68.6 cm) Usable Travel, 22.25" (56.5 cm) Wheel Travel, Unitized Hubs
Rear Shocks	FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression and Rebound)
Rear Suspension	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods, and 3 piece Stabilizer Bar and 29.0" (73.7cm) Usable Travel, 24.5" (62.2 cm) Wheel Travel, Unitized Hubs