

RZR Pro R Ultimate Stealth Black



Key Specifications

225
HP

74"
WIDTH

16"
CLEARANCE

ENGINE & DRIVETRAIN

| | |
|-----------------------------|---------------------------------------|
| Cooling | Liquid |
| Cylinders Displacement | 1997cc |
| Drive System Type | Pro Performance True 2WD/4WD/4WD Lock |
| Engine Braking System (EBS) | Not Equipped |
| Engine Type | 4-Stroke DOHC Inline Four Cylinder |
| Fuel System/Battery | Electronic Fuel Injection |
| Horsepower | 225 HP |
| Transmission/Final Drive | Automatic PVT P/R/N/L/H |

DIMENSIONS

| | |
|----------------------------------|--------------------------------------------|
| Bed Box Dimensions (L x W x H) | 29.5 x 23.8 x 8.1 in (75 x 60.5 x 20.6 cm) |
| Box Capacity | 300 lb (136 kg) |
| Estimated Dry Weight | 2,187 lbs (992 kg) |
| Fuel Capacity | 12 gal (45.4 L) |
| Ground Clearance | 16 in (40.6 cm) |
| Hitch Towing Rating | N/A |
| Overall Vehicle Size (L x W x H) | 136.5 x 74 x 72.8" (347 x 188 x 185 cm) |
| Payload Capacity | 740 lb (336 kg) |
| Wheelbase | 104.5 in (265.4cm) |

BRAKES

| |
|-------------------|
| Front/Rear Brakes |
|-------------------|

| | |
|----------------------|---------------------------------------------------------------------------------------------------|
| | 4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor |
| Parking Brake | Park In-Transmission |

ADDITIONAL SPECIFICATIONS

| | |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cargo System | Lock & Ride® Factory Equipped Cargo Liner |
| Doors | Full Door |
| Electronic Power Steering | Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; DYNAMIX DV with Integrated EPS Modes and Ride Command Push Button Controls |
| Hitch Type | Not Equipped |
| Instrumentation | RIDE COMMAND™ 7" Glove-Touch Display: Built-In GPS, Mapping, Vehicle-to-Vehicle with *Group Ride, Follow the Leader, & Messaging. Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including 2 Tweeters, and 2 Front Speakers, and External 400W Amp) Dual-sweep Analog Dials w/ 4 in LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals. Digital Instrumentation: Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator |
| Lighting | Signature White LED, Low/High & Red LED Tail / Brake Lights; Front, Rear, and Interior Accent Lighting |
| Other Standard Features | RIDE COMMAND®, High Output External 1700W Alternator, Polaris Pulse System, In-Dash Charge Port, 2 front DC Accy ports, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link, Hood Scoop, Mud and Rock Guards, User Selectable Throttle Modes (Sport, Rock, & Race) |
| RIDE COMMAND+ | Factory-Installed |
| Seat Type | Color-Matched Bolstered Bucket Seats with Driver 4-way adjustability (including 6" front to back toolless seat slider with tilt adjustability) & Passenger tilt adjustability; Retractable Click-6 Harnesses |

TIRES / WHEELS

| | |
|--------------------|--------------------------------------------------------------|
| Front Tires | 32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7 |
| Rear Tires | 32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7 |
| Wheels | Painted Cast Aluminum Rim with 5-Lug Pattern |

SUSPENSION

| | |
|---------------------------------------------|-------------------------------------------------------------------------------------------|
| Electronic Suspension Control System | Dynamix DV with Selectable Ride Modes: Comfort, Rock, Track, Baja |
| Front Shocks | FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression and Rebound) |

Front Suspension

Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 27.0" (68.6 cm) Usable Travel, 22.25" (56.5 cm) Wheel Travel, Unitized Hubs

Rear Shocks

FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression and Rebound)

Rear Suspension

Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods, and 3 piece Stabilizer Bar and 29.0" (73.7cm) Usable Travel, 24.5" (62.2 cm) Wheel Travel, Unitized Hubs